

HS
EXPECT THE BEST



**PRODUCT
CATALOGUE**

About us

With 30 years of experience in production of firearms, HS has grown into one of the leading manufacturers of top-quality small arms with one of the largest production factories in the world. Ever since its foundation, advanced thinking has been the focus of HS manufacturing which was the main factor for the international success of the HS pistol line, developed using latest technological achievements and real combat experience from the Croatian Homeland War.

Following HS pistol line's success, surge of demand for HS products enabled the company to make significant investments in manufacturing facilities, equipment and engineer workforce, making HS one of the manufacturing leaders on the international market.

HS today takes pride in its reputation for delivering innovative, high-performance quality firearms with strong focus on development of technologically advanced and reliable products. Every HS product is developed using years of expertise, ensuring that the final products reflect our commitment to excellence and safety. This is recognised by both experts and end-users who repeatedly award our top-class handguns.

HS Produkt d.o.o.

Address: Ul. Mirka Bogovića 7, 47000 Karlovac, Croatia

Phone number: +385 47 66 66 66





CONTENT



HS-G2 LINE

HS-9 G2 3.0	4
HS-9 G2 3.0 SS	5
HS-9 G2 4.0	6
HS-9 G2 4.0 SS	7
HS-9 G2 5.0	8
HS-9 G2 5.0 SS	9

HS-SF LINE

HS SF19 3.8	10
HS SF19 3.8 FDE / SS	11
HS SF19 4.5	12
HS SF19 4.5 FDE / SS / AFDE	13
HS SF19 4.5 TB RDR	14
HS SF19 4.5 TB	15
HS SF19 4.5 RDR	16
HS SF19 5.25	18
HS SF19 5.25 SS	19

HS-S LINE

HS S5 3.3	20
HS S5 3.3 SS	21
HS S7 3.3	22
HS S7 3.3 AFDE / SS	23

HS-H LINE

HS H11 PRO RDR	24
HS H11 PRO RDR CC	25
HS H11	26
HS H11 RDR	27

HS-ECHELON

HS ECHELON 4.5	28
HS ECHELON COMP 4.5	29
HS ECHELON 4.0C	30
HS ECHELON 4.0C THREADED BARREL	31

VHS-LINE

VHS2 SEMI-AUTO	32
VHS-2	34
VHS-BG	36

HS-KUNA

HS KUNA 9mm	38
HS KUNA .40S&W	40

HS-9 3.0 G2

HS-9 G2 3.0 has everything you need in small, sub-compact package. Featuring hammer forged 3 inch barrel and forged steel slide protected with Melonite finish. Redesign frame contour and grip texture allows higher gripping on the gun resulting in better control during rapid fire. Slide has deeper serrations for easier manipulation especially under stress. Pistol is equipped with fiber optic front sight and low profile rear sight. The sights are serrated to prevent the glare. Other features are picatinny rail, ambidextrous magazine release, grip safety, trigger safety, firing pin safety along with striker-status indicator and loaded chamber indicator. Trigger guard is enlarged for easier trigger manipulation even while wearing gloves. Pistol comes with two types of stainless steel magazines – one is flush with the grip and capacity of 13+1, the other is full-size magazine with grip sleeve and capacity of 16+1. This means that by simply changing the magazine we can transform HS-9 G2 3.0 from concealed carry/back-up option to high capacity full-frame pistol. All these features make HS-9 G2 3.0 extremely versatile weapon.

Caliber (mm)	9X19
Weight without magazine (g)	655
Weight of empty magazine (11rd flat base) (g)	58,5
Weight of empty magazine (16rd with adapter) (g)	97
Weight of empty magazine (13rd) (g)	69
Magazine capacity (rd)	13 / 16
Lenght (overall) (mm)	157
Barrel length (mm)	80,5
Height (mm)	120,5 / 140,5
Width (mm)	33





HS-9 3.0 G2 SS

HS-9 G2 3.0 SS has everything you need in small, sub-compact package. Featuring hammer forged 3 inch barrel and stainless steel slide. Redesign frame contour and grip texture allows higher gripping on the gun resulting in better control during rapid fire. Slide has deeper serrations for easier manipulation especially under stress. Pistol is equipped with fiber optic front sight and low profile rear sight. The sights are serrated to prevent the glare. Other features are picatinny rail, ambidextrous magazine release, grip safety, trigger safety, firing pin safety along with striker-status indicator and loaded chamber indicator.

Pistol comes with two types of stainless steel magazines – one is flush with the grip and capacity of 13+1, the other is full-size magazine with grip sleeve and capacity of 16+1. This means that by simply changing the magazine we can transform HS-9 G2 3.0 SS from concealed carry/back-up option to high capacity full-frame pistol. All these features make HS-9 G2 3.0 SS extremely versatile weapon.

Caliber (mm)	9X19
Weight without magazine (g)	655
Weight of empty magazine (11rd flat base) (g)	58,5
Weight of empty magazine (16rd with adapter) (g)	97
Weight of empty magazine (13rd) (g)	69
Magazine capacity (rd)	13 / 16
Lenght (overall) (mm)	157
Barrel length (mm)	80,5
Height (mm)	120,5 / 140,5
Width (mm)	33

HS-9 4.0 G2

HS-9 G2 4.0 is polymer frame, striker fired pistol. Featuring 4 inch hammer forged barrel and forged slide protected with Melonite finish. Deep slide serrations on front and back enable easier manipulation while redesign frame contours and texture allows higher hand positioning on the gun resulting in better control during rapid fire. Pistol is equipped with fiber optics front sight and low profile rear sight. The sights are serrated to prevent the glare. Trigger guard is enlarged for easier trigger manipulation while wearing gloves. Other features include picatinny rail, ambidextrous magazine release, grip safety, trigger safety, firing pin safety along with striker-status indicator and loaded chamber indicator. Pistol comes with stainless steel (16+1) magazines.

HS-9 G2 4.0 is ideal all-purpose gun.

Caliber (mm)	9X19
Weight without magazine (g)	700
Weight of empty magazine (g)	85
Magazine capacity (rd)	16
Lenght (overall) (mm)	180,5
Barrel length (mm)	103,5
Height (mm)	140
Width (mm)	33





HS-9 4.0 G2 SS

HS-9 G2 4.0 SS is polymer frame, striker fired pistol. Featuring 4 inch hammer forged barrel and stainless steel slide. Deep serrations on front and back of the slide enable easier manipulation while redesign frame contours and texture allows higher hand positioning on the gun resulting in better control during rapid fire. Pistol is equipped with fiber optics front sight and low profile rear sight. The sights are serrated to prevent the glare. Trigger guard is enlarged for easier trigger manipulation even with gloves. Other features include picatinny rail, ambidextrous magazine release, grip safety, trigger safety, firing pin safety along with striker-status indicator and loaded chamber indicator. Pistol comes with stainless steel (16+1) magazines.

HS-9 G2 4.0 SS is ideal all-around gun.



Caliber (mm)	9X19
Weight without magazine (g)	700
Weight of empty magazine (g)	85
Magazine capacity (rd)	16
Length (overall) (mm)	180,5
Barrel length (mm)	103,5
Height (mm)	140
Width (mm)	33

HS-9 5.0 G2

HS-9 G2 5.0 offers everything you need for duty-carry, home-defense or even competition. Featuring 5 inch hammer forged barrel with longer slide and full size frame. The longer barrel translate in to muzzle velocity increase, but it also adds more weight up front, which helps reduce muzzle flip and felt recoil, allowing faster follow-up shots. Increased sight radius in combination with fiber optic front sight and low profile rear sight enables faster target acquisition. The sights are serrated to prevent the glare. Redesign frame contours with new grip texture allows higher hand positioning on the gun and better control during rapid fire. Trigger guard is enlarged for easier trigger manipulation while wearing gloves. Other features include picatinny rail, ambidextrous magazine release, grip safety, trigger safety, firing pin safety along with striker-status indicator and loaded chamber indicator. Pistol comes with stainless steel (16+1) magazines.

Caliber (mm)	9X19
Weight without magazine (g)	735
Weight of empty magazine (g)	85
Magazine capacity (rd)	16
Length (overall) (mm)	203,5
Barrel length (mm)	127
Height (mm)	140
Width (mm)	33





HS-9 5.0 G2 SS

HS-9 G2 5.0 SS offers everything you need for duty-carry, home-defense or even competition. Featuring 5 inch hammer forged barrel with longer stainless steel slide and full size frame. The longer barrel translates to muzzle velocity increase, but it also adds more weight up front, which helps reduce muzzle flip and felt recoil, allowing faster follow-up shots. Increased sight radius in combination with fiber optic front sight and low profile rear sight enables faster target acquisition. The sights are serrated to prevent the glare. Redesign frame contours with new grip texture allows higher hand positioning on the gun and better control during rapid fire. Trigger guard is enlarged for easier trigger manipulation while wearing gloves. Other features are picatinny rail, ambidextrous magazine release, grip safety, trigger safety, firing pin safety along with striker-status indicator and loaded chamber indicator. Pistol comes with stainless steel (16+1) magazines.

Caliber (mm)	9X19
Weight without magazine (g)	735
Weight of empty magazine (g)	85
Magazine capacity (rd)	16
Lenght (overall) (mm)	203,5
Barrel length (mm)	127
Height (mm)	140
Width (mm)	33



HS SF19 3.8

SF19 3.8 packs serious firepower in compact size. Shorter slide/barrel enables easier manipulation while retaining excellent capacity with full size frame. SF19 3.8 features everything we know and love in full size model; fully ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include arrowed front and back slide serrations for easier manipulation, picatinny rail, aggressive grip texturing, interchangeable backstraps (3 sizes) and enhanced flat trigger with shorter reset. Enlarged trigger guard ensures easier trigger manipulation even while wearing gloves. Pistol comes with stainless steel high capacity magazines (19+1).

SF19 3.8 offers full-size performance in a compact design.

Caliber (mm)	9X19
Weight without magazine (g)	670
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Lenght (overall) (mm)	173
Barrel length (mm)	96
Height (mm)	145
Width (mm)	36,5





HS SF19 3.8 FDE

SF19 3.8 FDE packs serious firepower in compact size. Shorter slide/barrel enables easier manipulation while retaining excellent capacity with full size Flat Dark Earth frame. SF19 3.8 FDE features everything we know and love in full size model; fully ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include arrowed front and back slide serrations for easier manipulation, picatinny rail, aggressive grip texturing, interchangeable backstraps (3 sizes) and enhanced flat trigger with shorter reset. Pistol comes with stainless steel high capacity magazines (19+1).

SF19 3.8 FDE offers full-size performance in a compact design.



HS SF19 3.8 SS

Caliber (mm)	9X19
Weight without magazine (g)	670
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Length (overall) (mm)	173
Barrel length (mm)	96
Height (mm)	145
Width (mm)	36,5

HS SF19 4.5

SF19 4.5 offers everything you need in full size, high capacity strike fired pistol. Featuring forged slide and hammer forged barrel with Melonite protective finish. Redesign slide has deeper, more pronounced front and rear serrations for easier manipulation. Pistol is equipped with fiber optic front sight and low profile rear sight. Sights are serrated to prevent the glare. SF19 has fully ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include picatinny rail, aggressive frame texturing, interchangeable backstraps (3 sizes) and enhanced flat face trigger with shorter reset for faster follow-up shots. Enlarged trigger guard enables easier trigger manipulation even while wearing gloves. Pistol comes with stainless steel high capacity magazines (19+1).

Caliber (mm)	9X19
Weight without magazine (g)	725
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Length (overall) (mm)	193,5
Barrel length (mm)	116,5
Height (mm)	145
Width (mm)	36,5





HS SF19 4.5 SS

Featuring stainless steel slide and hammer forged barrel with Melonite protective finish. Redesign slide has deeper, more pronounced front and rear serrations for easier manipulation. Pistol is equipped with fiber optic front and a low-profile rear sight. Sights are serrated to prevent the glare. SF19 4.5 SS has fully ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include picatinny rail, aggressive frame texturing, interchangeable backstraps (3 sizes) and enhanced flat face trigger with shorter reset. Enlarged trigger guard enables easier trigger manipulation even while wearing gloves.

Pistol comes with stainless steel high capacity magazines (19+1).



HS SF19 4.5 TB RDR

Featuring forged steel Melonited slide and 1/2"-28 threaded hammer forged barrel with protective cap. SF19 4.5 TB RDR comes with pre-cut slide and three mounting plates for Trijicon RMR, Leupold Delta Point and Vortex Venom reflex sights. Pistol is also equipped with co-witness suppressor-height sights that are serrated to prevent the glare. SF19 4.5 TB RDR features ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include arrowed front and back slide serrations for easier manipulation, picatinny rail, aggressive grip texturing, interchangeable backstraps (3 sizes) and enhanced flat trigger with shorter reset for faster follow-up shots. Enlarged trigger guard ensures easier trigger manipulation even while wearing tactical gloves. Pistol comes with stainless steel high capacity magazines (19+1).

Caliber (mm)	9X19
Weight without magazine (g)	745
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Lenght (overall) (mm)	212,5
Barrel length (mm)	134
Height (mm)	152
Width (mm)	36,5





HS SF19 4.5 TB AFDE



**HS SF19 4.5
TB RDR AFDE**

HS SF19 4.5 TB

Featuring forged steel Melonited slide and 1/2"-28 threaded hammer forged barrel with protective cap. Pistol is equipped with suppressor-height sights that are serrated to prevent the glare. SF19 4.5 TB has fully ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include enhanced front and back slide serrations for easier manipulation, picatinny rail, aggressive frame texturing, interchangeable backstraps (3 sizes) and enhanced flat face trigger with shorter reset. Trigger guard is enlarged for easier trigger manipulation while wearing gloves.

Pistol comes with stainless steel high capacity magazines (19+1).

Caliber (mm)	9X19
Weight without magazine (g)	740
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Length (overall) (mm)	212,5
Barrel length (mm)	134
Height (mm)	145
Width (mm)	36,5

HS SF19 4.5 RDR

SF19 4.5 RDR comes with pre-cut slide and three mounting plates for Trijicon RMR, Leupold Delta Point and Vortex Venom reflex sights. Pistol is also equipped with co-witness suppressor-height sights that are serrated to prevent the glare. SF19 4.5 RDR features ambidextrous slide stop lever and magazine catch, three safety system – firing pin safety, grip safety and trigger safety with two indicators – striker status and loaded chamber indicator (both visual and tactile). Other features include arrowed front and back slide serrations for easier manipulation, picatinny rail, aggressive grip texturing, interchangeable backstraps (3 sizes) and enhanced flat trigger with shorter reset for faster follow-up shots. Enlarged trigger guard ensures easier trigger manipulation even while wearing tactical gloves. Pistol comes with stainless steel high capacity magazines (19+1).

Caliber (mm)	9X19
Weight without magazine (g)	725
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Lenght (overall) (mm)	193,5
Barrel length (mm)	116,5
Height (mm)	152
Width (mm)	36,5





HS SF19 4.5 RDR AFDE



HS SF19 4.5 RDR SS

HS SF19 5.25

SF19 5.25 offers everything you need in out of the box competition-ready pistol. Featuring extended slide and barrel for longer sight radius with adjustable rear target sight and fiber optic front sight for easier target acquisition. Longer barrel translate into a muzzle velocity increase, and reduced weight of the slide allows faster cycling for quicker follow-up shots. Trigger is enhanced with shorter reset and clean break. Interchangeable back-straps in combination with aggressive frame texturing enable excellent control during rapid fire. Other features include picatinny rail, ambidextrous slide stop and magazine release, three independent safeties and two indicators. Pistol comes with stainless steel high capacity magazines (19+1).

SF19 is everything you need for peak performance in competition or even tactical environment.

Caliber (mm)	9X19
Weight without magazine (g)	735
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Length (overall) (mm)	209,5
Barrel length (mm)	133
Height (mm)	146,5
Width (mm)	36,5





HS SF19 5.25 SS

SF19 5.25 offers everything you need in out of the box competition-ready pistol. Featuring extended slide and barrel for longer sight radius with adjustable rear target sight and fiber optic front sight for easier target acquisition. Longer barrel translate into a muzzle velocity increase, and reduced weight of the slide allows faster cycling for quicker follow-up shots. Trigger is enhanced with shorter reset and clean break. Interchangeable back-straps in combination with aggressive frame texturing enable excellent control during rapid fire. Other features include picatinny rail, ambidextrous slide stop and magazine release, three independent safeties and two indicators. Pistol comes with stainless steel high capacity magazines (19+1). SF19 is everything you need for peak performance in competition or even tactical environment.

Caliber (mm)	9X19
Weight without magazine (g)	735
Weight of empty magazine (g)	85
Magazine capacity (rd)	19
Lenght (overall) (mm)	209,5
Barrel length (mm)	133
Height (mm)	146,5
Width (mm)	36,5



HS S5 3.3

S5 is .45ACP polymer frame, single-stack, striker fired pistol. Featuring 3.3 inch hammer forged barrel and forged slide. Barrel and slide are Melonite treated. Slide has pronounced serrations for easier manipulation and is equipped with fiber optic front sight and tuck-rack rear sight. The sights are serrated to prevent the glare. Grip is slimmer with rounded trigger guard and extended beaver-tail for higher hand positioning and better recoil control. All surfaces on gun are rounded to produce "no-snag" effect. Other features are three safeties – grip safety, trigger safety and firing pin safety along with loaded chamber indicator. Magazine release is fully ambidextrous. S5 comes with two types of stainless steel magazine – one is flush with grip and capacity of 5+1, the other is with grip extension and capacity of 6+1. S5 provides excellent firepower of .45 ACP round in slim, highly concealable design.

Caliber (mm)	.45ACP
Weight without magazine (g)	550
Weight of empty magazine (g)	63 (5 rd) / 78 (6 rd)
Magazine capacity (rd)	5 / 6
Lenght (overall) (mm)	162,5
Barrel length (mm)	84,5
Height (mm)	113
Width (mm)	27





HS S5 3.3 SS

S5 is .45ACP polymer frame, single-stack, and striker fired pistol. Featuring 3.3 inch hammer forged barrel and stainless steel slide. Grip is now slimmer with rounded trigger guard and extended beaver-tail for higher hand positioning and better recoil control. Slide has pronounced serrations for easier manipulation and is equipped with fiber optic front sight and tack-rack rear sight. The sights are serrated to prevent the glare. All surfaces on gun are rounded to produce "no-snag" effect. Other features are three safeties – grip safety, trigger safety and firing pin safety along with loaded chamber indicator. Magazine release is fully ambidextrous. S7 comes with two types of stainless steel magazine – one is flush with grip and capacity of 5+1, the other is with grip extension and capacity of 6+1.

S5 provides excellent firepower of .45 ACP round in slim, highly concealable design.



Caliber (mm)	.45ACP
Weight without magazine (g)	550
Weight of empty magazine (g)	63 (5 rd) / 78 (6 rd)
Magazine capacity (rd)	5 / 6
Lenght (overall) (mm)	162,5
Barrel length (mm)	84,5
Height (mm)	113
Width (mm)	27

HS S7 3.3

S7 is 9mm polymer frame, single-stack, striker fired pistol. Featuring 3.3 inch hammer forged barrel and forged slide. Barrel and slide are Melonite treated. Slide has pronounced serrations for easier manipulation and is equipped with fiber optic front sight and tuck-rack rear sight which are serrated to prevent the glare. Grip contours are slimmer with rounded trigger guard and extended beaver-tail for higher hand positioning and better recoil control. All surfaces on gun are rounded to produce "no-snag" effect. Other features are three safeties – grip safety, trigger safety and firing pin safety along with loaded chamber indicator. Magazine release is fully ambidextrous. S7 comes with two types of stainless steel magazine – one is flush with grip and capacity of 7+1, the other is with grip extension and capacity of 9+1.

Caliber (mm)	9X19
Weight without magazine (g)	550
Weight of empty magazine (g)	56 (7 rd) / 83 (9 rd)
Magazine capacity (rd)	7 / 9
Lenght (overall) (mm)	160
Barrel length (mm)	84,5
Height (mm)	113 / 127
Width (mm)	27





HS S7 3.3

Small, slim and yet powerful S line represents ultimate real practical "self defense" and "back up" pistol. With his single stack magazine S line has superior concealed carry capabilities you can find on the market. Point and shot ergonomics, advanced grip texture and excellent trigger job puts S line on the top of the premium CC pistols.

The fact S line passed 25 000 rounds torture test without failure speaks for itself.



HS S7 3.3 AFDE



HS S7 3.3 SS

HS H11 PRO

H11 PRO brings the full-size performance in a compact design. PRO comes with extended slide, 3.7" barrel and full size grip. H11 PRO features everything we know and love in H11; hammer forged barrel and forged slide with Melonite protective finish. Especially design adaptive grip texture in combination with full size grip enable exceptional control during rapid fire. Pistol comes with pre-cut slide for mounting different reflex sights, but is also equipped with fiber optic front sight, and dovetailed rear U-notch sight. Slide has front and back serrations for easier manipulation. H11 PRO is equipped with two safeties – trigger safety, firing pin safety and loaded chamber indicator. Magazine release is reversible type and can be adjusted for left-handed or right-handed shooter. Pistol comes with two stainless steel magazine with capacity of 15+1.

Bridging the gap between micro-compact and full size pistols, H11 PRO is perfect concealed carry choice.

Caliber (mm)	9X19
Weight without magazine (g)	515
Weight of empty magazine (g)	73
Magazine capacity (rd)	15
Lenght (overall) (mm)	167,5
Barrel length (mm)	94
Height (mm)	125,5
Width (mm)	27





HS H11 PRO



HS H11

H11 is a micro-compact, striker fired polymer-frame pistol. Featuring hammer forged barrel and forged slide with Melonite protective finish. Patented magazine design makes H11 highest capacity micro-compact 9 mm in the world. Especially design adaptive grip texture provides exceptional control during rapid fire. Slide has front and back serrations for easier manipulation and is equipped with fiber optic front sight, and dovetailed rear U-notch sight. H11 is equipped with two safeties – trigger safety, firing pin safety and loaded chamber indicator. Magazine release is reversible type and can be adjusted for left-handed or right-handed shooter. Pistol comes with two types of stainless steel magazine – one is flush-fit with capacity of 11+1, the other is extended with capacity of 13+1.

Light weight, capacity and reliability makes H11 perfect concealed carry weapon.

Caliber (mm)	9X19
Weight without magazine (g)	455
Weight of empty magazine (11 rd flat base) (g)	58,5
Weight of empty magazine (11 rd extended base) (g)	61
Weight of empty magazine (13 rd) (g)	68,5
Magazine capacity (rd)	11/13
Lenght (overall) (mm)	153
Barrel length (mm)	79,5
Height (with magazine 11 rd flat base) (mm)	106,5
Height (with magazine 11 rd extended base) (mm)	119
Height (with magazine 13 rd) (mm)	119
Width (mm)	27





HS H11 CC



HS H11 RDR AFDE

HS H11 RDR

H11 RDR is a micro-compact, striker fired polymer-frame pistol. Featuring hammer forged barrel and forged slide with Melonite protective finish. Patented magazine design makes H11RDR highest capacity micro-compact 9 mm in the world. Especially design adaptive grip texture provides exceptional control during rapid fire. Pistol comes with pre-cut slide for mounting different reflex sights, but is also equipped with fiber optic front sight, and dovetailed rear U-notch sight. Slide has front and back serrations for easier manipulation. H11 RDR is equipped with two safeties – trigger safety, firing pin safety and loaded chamber indicator. Magazine release is reversible type and can be adjusted for left-handed or right-handed shooter. Pistol comes with two types of stainless steel magazine – one is flush-fit with capacity of 11+1, the other is extended with capacity of 13+1. H11 RDR is also available in optics ready configuration with removable optic sight plate. Light weight, capacity and reliability makes H11 RDR perfect concealed carry weapon.



HS H11 RDR SS


HS ECHELON 4.5

The Echelon™ sets a new standard for modern, striker-fired duty pistols. With a host of patent-pending features, this modular and highly adaptable handgun is designed around a robust stainless steel chassis and revolutionary optics mounting system. Engineered with superior ergonomics and built to withstand the harshest conditions, the Echelon takes its rightful place at the front of the pack. At the heart of the Echelon lies the all-new Central Operating Group. Employing cutting edge manufacturing techniques, the Central Operating Group is entirely self-contained and serialized allowing it to be easily moved between grip modules in seconds. Precision built from stainless steel, the chassis provides a robust housing for its patent-pending operating system. Concealed beneath the slide cover plate is the Echelon's patent-pending optic mounting system. The Variable Interface System allows users to mount over 30 optics directly to the slide without the use of adapter plates.

The Echelon employs a newly developed magazine for rugged durability, hard use, and reliable operation. Blacked out in a scratch and wear-resistant coating, the magazine offers a 9mm capacity of 17+1 or 20+1.

Caliber (mm)	9X19
Weight without magazine (g)	666
Weight of empty magazine (g)	85 (17 rd) / 94 (20 rd)
Magazine capacity (rd)	17 / 20
Lenght (overall) (mm)	203
Barrel length (mm)	114
Height (mm)	140,9
Width (mm)	33,4





HS ECHELON COMP

The new Echelon Comp features an integral compensator discreetly designed with a single port on the top of the hammer-forged slide and barrel. Redirecting gas upwards, it effectively reduces muzzle rise and enhances control. The result is a pistol that delivers faster and more accurate follow-up shots. In addition, the front sight is positioned behind the compensator for an uninterrupted sight picture. Alternative full-size and compact grip modules give shooters the ability to find a configuration that fits them best. Available in small, medium, and large, each grip module accepts the Central Operating Group and all three backstraps. The Echelon's patent-pending trigger harnesses the advantages of the Central Operating Group to deliver superior performance. Entirely contained within the chassis, critical components are machined from tool steel and highly polished for a clean take up, defined wall, crisp break and short, positive reset. The result is a trigger that redefines expectations. In addition to passing rigorous testing, the Echelon's Central Operating Group features a unique second sear design to help prevent unintentional discharge should the firearm be dropped. Field stripping the Echelon is toolless and requires no pull of the trigger.

HS ECHELON THREADED BARREL



HS ECHELON 4.0C

Engineered for carry, the Echelon™ 4.0C retains the key features of the full-size model, with a shorter 4-inch barrel and compact frame for enhanced concealability. Its revolutionary Variable Interface System provides unmatched direct-mount compatibility with today's leading red dot sights, complemented by U-Dot irons for fast target acquisition. At the heart of the Echelon lies the all-new Central Operating Group. Employing cutting edge manufacturing techniques, the Central Operating Group is entirely self-contained and serialized allowing it to be easily moved between grip modules in seconds. Precision built from stainless steel, the chassis provides a robust housing for its patent-pending operating system. Concealed beneath the slide cover plate is the Echelon's patent-pending optic mounting system. The Variable Interface System allows users to mount over 30 optics directly to the slide without the use of adapter plates.

The serialized Central Operating Group is housed in a compact frame, offering a 15-round capacity with the flush magazine and 18 rounds with the extended magazine.

Caliber (mm)	9X19
Weight without magazine (g)	621
Weight of empty magazine (g)	77 (15 rd)
Magazine capacity (rd)	15 / 18
Length (overall) (mm)	187,1
Barrel length (mm)	102
Height (mm)	128,7
Width (mm)	33,4





HS ECHELON 4.0C THREADED BARREL

Engineered for carry, the threaded Echelon™ 4.0C retains the key features of the full-size model, with a shorter 4.7-inch threaded barrel and compact frame for enhanced concealability. Its revolutionary Variable Interface System provides unmatched direct-mount compatibility with today's leading red dot sights, complemented by tritium three-dot irons for fast target acquisition. The serialized Central Operating Group is housed in a compact frame, offering a 15-round capacity with the flush magazine and 18 rounds with the extended magazine.



VHS2S SEMI-AUTO

VHS-2S is a fully ambidextrous .223 Rem caliber semi-automatic rifle. Designed on bullpup modular platform with proved short-stroke gas piston operating system it maintains all the ballistic benefits of a longer barrel in a shorter package without sacrificing overall length, accuracy and muzzle velocity. Adjustable gas block works in two modes; suppressed and unsuppressed.

The polymer receiver is equipped with an 5 point adjustable buttstock. The rifle is equipped with NATO STANAG 4694 rail and adjustable flip up iron sights. Front handguard has M-LOK mounting system at the 3, 6, and 9 o'clock positions. Pistol grip is removable and compatible with M4/AR-15 style grips.

Rifle is equipped with ambidextrous dual system of sling attachment; QD socket on front handguard, upper receiver and buttstock with eyelet attachment for sling snap hook on upper receiver and on the buttstock.

VHS2S is compatible with STANAG 4179 magazines. Combination of all of this with dual dust cover ejection ports on both sides of the receiver and specially designed empty case deflectors create flexible and user friendly multi-purpose rifle.



Mode of fire	Safe and Semi-Automatic
Caliber (mm)	.223 Rem
Barrel length (mm)	410 (16,1")
Length (overall) (mm)	710
Length (drawn out buttstock) (mm)	760
Width (mm)	76
Height with NATO frame (mm)	222
Weight without magazine (kg)	3,60
Magazine capacity (rd)	10
Trigger pull (N)	25-35

VHS2S SEMI-AUTO



Advantages / key features

- Long barrel compared to total length of the rifle (60% of the total length of the rifle is barrel length)
- Barrel thread 1/2" - 28 compatible with all M4/AR-15 flash suppressor devices
- Removable pistol grip, compatible with all M4/AR-15 pistol grips
- M-LOK mounting system on front handguard on 3 positions: 3 o'clock, 6 o'clock and 9 o'clock
- Ambidextrous dual system of sling attachment: QD socket on front handguard, upper receiver and on the buttstock
- Eyelet attachment for sling snap hook on upper receiver and on the buttstock
- Long NATO 4694 rail on the upper receiver
- Front mechanical sight: Integrated into NATO 4694 rail on upper receiver, flip-up, elevation adjustable
- Rear mechanical sight: Integrated into NATO 4694 rail on upper receiver, flip-up, windage adjustable, 5-position aperture (range for targets under 100 m up to 500 m)
- Mechanical sights are user adjustable without tools
- Adjustable gas cylinder: "N" for normal mode and "S" for suppressor mode
- Ambidextrous cartridge ejection port (ejection side can be switched without additional parts and tools on user level)
- Trigger shape - straight
- Adjustable buttstock in 5 positions
- Ambidextrous fire selector
- Ambidextrous cocking handle, not reciprocating
- Ambidextrous bolt release
- Ambidextrous magazine release
- Ambidextrous buttstock adjustment lever
- Low recoil force - center of mass is in the middle of the rifle
- Captive takedown pins
- High quality impact resistant glass reinforced polymer
- Easy maintenance due to high level of user disassembly

VHS-2

VHS-2 is a fully ambidextrous 5.56 NATO caliber assault rifle. Designed on bullpup modular platform it maintain all the ballistic benefits of a longer barrel in a shorter package without sacrificing overall length, accuracy and muzzle velocity. The polymer receiver is equipped with an 5 point adjustable buttstock. Combination of all of this with dual dust cover ejection ports on both sides of the receiver and specially designed empty case deflectors create flexible and user friendly multi-purpose rifle. The rifle is equipped either with an carrying handle with NATO STANAG 4694 rail and flip up iron sights or with integrated 1.5X optical red dot sight. Front handguard has NATO STANAG 4694 rails at the 3, 6, and 9 o'clock positions with removable rail covers so the rifle can accept extra accessories. Magazines are made of durable polymer with semi transparent pattern and 30 rounds capacity allowing the operator to quickly view the ammunition count without removing the magazine. VHS-2 uses proved short-stroke gas piston operating system with rotating bolt. The rifle can fit VHS-BG 40 mm single shot grenade launcher under the barrel. VHS-2 is coming in two different versions: VHS-D2 500 mm barrel length designated marksman version with effective range up to 800 m and VHS-K2 410 mm barrel length standard base version.

Advantages / key features

- compact size / short overall length
- accuracy
- ballistic benefits
- modularity
- true ambidextrality
- maneuverability
- highest operational versatility
- easy to operate in confined spaces
- easy maintenance
- no external moving parts on the weapon during firing (non reciprocating charging handle doesn't move and can't potentially hit users hands, face or hit structures and other objects during shooting in confined spaces such as vehicles, etc.)
- changing position of the ejection port without using special tools or spare parts
- left handed shooters can shoot with the right positioned ejection port or vice versa
- options between flat or magazine with coupling attachment points

VHS-2

Caliber (mm)
Ammunition (mm)
Barrel length (mm)
Length (overall) (mm)
Length (drawn out buttstock) (mm)
Width (mm)
Height with NATO frame (mm)
Height with magazine (30 rd) (mm)
Weight without magazine (kg)
Weight of magazine (empty) (g)

D2

5.56x45
5,56x45; SS109
500
800
850
76
205
269
3,85
134

D2CT

5.56x45
5,56x45; SS109
500
800
850
76
250
313
4,15
134

VHS-2

Caliber (mm)
Ammunition (mm)
Barrel length (mm)
Length (overall) (mm)
Length (drawn out buttstock) (mm)
Width (mm)
Height with NATO frame (mm)
Height with magazine (30 rd) (mm)
Weight without magazine (kg)
Weight of magazine (empty) (g)

K2

5.56x45
5,56x45; SS109
410
710
760
76
205
269
3,70
134

K2CT

5.56x45
5,56x45; SS109
410
710
760
76
250
313
4,00
134



VHS-D2 CT



VHS-K2 CT



VHS-D2



VHS-K2

VHS-BG

The VHS-BG is double action single-shot 40x46 mm grenade launcher. Equipped with hammer forged barrel and high durable polymer, VHS-BG can fire all 40x46mm type of grenades on the market – smoke, HE, CS, Rubber, etc.

VHS-BG can be used as stand alone variant or as under-barrel grenade launcher for VHS-2 rifle. Mounting grenade launcher on VHS-2 rifle is easy and fast with our one pin quick-mount system.

VHS-BG has mechanical sight attached to the side of the launcher, either on the left or right depending of the users needs. It is also equipped with MIL-STD rail for mounting different sights options. With retractable stock, we can optimize overall lenght depending of the mission requirements.

Low recoil, light and compact, VHS-BG is ideal for different tasks.

Caliber (mm)	40X46
Barrel length (mm)	260
Range (m)	450
Lenght (with extended buttstock) (mm)	675
Width (with sight) (mm)	84
Height (with sight) (mm)	215
Weight (with sight) (g)	1970



VHS-BG

LEFT SIDE



RIGHT SIDE



HS KUNA 9mm

KUNA is a lightweight, compact select-fire submachine gun, chambered in 9mm. Its ambidextrous design, non-reciprocating charging handle, and adjustable foldable stock ensure easy manipulation.

Versatile and customizable, it supports accessories like suppressors, lasers, and lights for specialized missions.


Built for professionals, it offers precision, maneuverability, and durability for the toughest operational environments.

Its monolithic aluminum upper provides a durable frame, housing a roller-delayed operating system that dramatically reduces felt recoil. KUNA comes with two 30-round magazines.

Caliber (mm)	9X19
Barrel length (mm)	165,1
Length, collapsed stock (mm)	382
Length, extended stock (mm)	615
Sight distance (mm)	260
Height with sights (mm)	197±4
Height with magazine and sights (mm)	242±4
Width (mm)	55
Weight, without magazine (kg)	2,2+0,3
Weight, with empty magazine (kg)	2,3+0,3
Trigger pull (kg)	2,5 - 3,5



HS KUNA 9mm



Advantages / key features

- Lightweight, durable aluminum construction
- Hammer-forged barrel for precision and durability
- Ambidextrous controls, non-reciprocating charging handle
- M4-style pistol grip for enhanced ergonomics
- Modular, foldable, adjustable stock
- M-LOK mounting interfaces for accessory attachments
- Full-length Picatinny rail with flip-up sights
- QD sling sockets for quick attachment
- Compatible with suppressors, lights, and more



**HS KUNA
THREADED BARREL**

HS KUNA .40S&W

KUNA is a lightweight, compact select-fire submachine gun, chambered in .40S&W. Its ambidextrous design, non-reciprocating charging handle, and adjustable foldable stock ensure easy manipulation. Versatile and customizable, it supports accessories like suppressors, lasers, and lights for specialized missions. Built for professionals, it offers precision, maneuverability, and durability for the toughest operational environments. Its monolithic aluminum upper provides a durable frame, housing a roller-delayed operating system that dramatically reduces felt recoil.

KUNA comes with two 30-round magazines.

Caliber	.40S&W
Barrel length (mm)	165,1
Length, collapsed stock (mm)	382
Length, extended stock (mm)	615
Sight distance (mm)	260
Height with sights(mm)	197±4
Height with magazie and sights(mm)	255±4
Width (mm)	55
Weight, without magazine (kg)	2,2+0,3
Weight, with empty magazine (kg)	2,3+0,3
Trigger pull (kg)	2,5 - 3,5





EXPECT THE BEST

Mirka Bogovića 7 | 47000 Karlovac | Croatia

Phone: +385 (0)47 666 666 | Fax: +385 (0)47 645 594

E-mail: hs-produkt@hs-produkt.hr | www.hs-produkt.hr